

## Sun Metals – Stardust Project Drill Results Table

Hole	From	To	Interval	Copper (%)	Gold (g/t)	Silver (g/t)	Zinc (%)	Copper Equivalent (%) <sup>(2)</sup>	Gold Equivalent (g/t) <sup>(2)</sup>	Zone
DDH18-SD-406	No Significant Value									HW Skarn
DDH18-SD-407	No Significant Value									HW Skarn
DDH18-SD-408	No Significant Value									HW Skarn
DDH18-SD-409	No Significant Value									HW Skarn
DDH18-SD-410	No Significant Value									HW Skarn
DDH18-SD-411	174.70	189.10	<b>14.40</b>	1.32	1.03	22.9	2.12	<b>3.06</b>	<b>4.84</b>	Canyon Creek Skarn
<i>incl</i>	178.20	183.90	<b>5.70</b>	1.57	1.38	33.1	5.20	<b>4.90</b>	<b>7.75</b>	
DDH18-SD-411	226.75	228.90	<b>2.15</b>	3.81	0.75	498.4	23.31	<b>18.36</b>	<b>29.05</b>	GD/Anom-C
DDH18-SD-412	42.75	50.40	<b>7.65</b>	0.03	1.31	62.3	0.78	<b>N/A</b>	<b>2.73</b>	
DDH18-SD-413	232.50	238.00	<b>5.50</b>	1.72	0.93	29.1	0.01	<b>2.56</b>	<b>4.06</b>	Canyon Creek Skarn
DDH18-SD-413	245.00	246.00	<b>1.00</b>	0.02	2.52	11.1	0.09	<b>N/A</b>	<b>2.76</b>	
DDH18-SD-414	63.30	63.90	<b>0.60</b>	0.05	0.59	382.8	21.22	<b>N/A</b>	<b>N/A</b>	GD/Anom-C
DDH18-SD-415	34.60	34.90	<b>0.30</b>	0.01	4.23	3.2	0.04	<b>N/A</b>	<b>4.31</b>	GD Zone
DDH18-SD-415	44.60	46.80	<b>2.20</b>	0.28	5.25	16.4	3.79	<b>N/A</b>	<b>8.42</b>	
DDH18-SD-415	55.90	60.50	<b>4.60</b>	0.09	4.17	34.5	1.60	<b>N/A</b>	<b>5.84</b>	
DDH18-SD-416	281.70	282.70	<b>1.00</b>	1.70	1.25	27.2	0.01	<b>2.73</b>	<b>4.33</b>	Canyon Creek Skarn
DDH18-SD-417	35.70	39.00	<b>3.30</b>	0.01	0.21	3.9	1.35	<b>N/A</b>	<b>1.17</b>	GD Zone
DDH18-SD-417	50.50	57.80	<b>7.30</b>	0.04	0.48	7.7	7.42	<b>N/A</b>	<b>5.55</b>	
DDH18-SD-418	218.80	220.20	<b>1.40</b>	0.03	0.88	9.5	4.60	<b>N/A</b>	<b>4.09</b>	Anom A
DDH18-SD-418	224.90	225.60	<b>0.70</b>	0.09	0.08	6.7	25.67	<b>N/A</b>	<b>N/A</b>	
DDH18-SD-418	233.10	234.80	<b>1.70</b>	0.05	4.37	15.4	4.39	<b>N/A</b>	<b>7.56</b>	
DDH18-SD-418	242.80	243.20	<b>0.40</b>	0.03	0.11	7.6	11.79	<b>N/A</b>	<b>N/A</b>	
DDH18-SD-418	249.10	252.20	<b>3.10</b>	0.10	5.05	55.3	5.23	<b>5.95</b>	<b>9.42</b>	
DDH18-SD-419	No Significant Value									Anom A
DDH18-SD-420	No Significant Value									Westside
DDH18-SD-421	433.80	435.00	<b>1.20</b>	1.07	0.16	17.4	0.01	<b>1.33</b>	<b>2.10</b>	421 Zone
DDH18-SD-421	460.00	462.90	<b>2.90</b>	0.55	0.41	8.7	0.01	<b>0.89</b>	<b>1.41</b>	
DDH18-SD-421	506.60	507.30	<b>0.70</b>	1.29	1.45	22.3	0.02	<b>2.42</b>	<b>3.82</b>	
DDH18-SD-421	517.00	617.00	<b>100.00</b>	2.51	3.03	52.5	0.41	<b>5.05</b>	<b>8.00</b>	
<i>incl</i>	539.80	617.00	<b>77.20</b>	3.11	3.74	64.9	0.53	<b>6.27</b>	<b>9.92</b>	
<i>incl</i>	539.80	576.30	<b>36.50</b>	3.89	4.47	84.6	1.06	<b>7.89</b>	<b>12.49</b>	
<i>incl</i>	587.90	617.00	<b>29.10</b>	3.35	4.30	65.7	0.07	<b>6.67</b>	<b>10.55</b>	
DDH18-SD-422	No Significant Value									No.5 Lens
DDH18-SD-423	No Significant Value									No.5 Lens
DDH18-SD-424	74.50	76.00	<b>1.50</b>	1.67	6.70	27.0	0.01	<b>6.15</b>	<b>9.73</b>	No.5 Lens
DDH18-SD-424	282.70	283.30	<b>0.60</b>	10.00	5.17	265.3	0.08	<b>15.62</b>	<b>24.73</b>	
DDH18-SD-425	50.80	51.35	<b>0.55</b>	0.15	0.58	54.1	6.23	<b>3.59</b>	<b>5.68</b>	Anom B
DDH18-SD-426	143.50	144.90	<b>1.40</b>	0.37	1.90	25.3	3.08	<b>3.07</b>	<b>4.86</b>	Anom B

## Sun Metals – Stardust Project Drill Results Table

Hole	From	To	Interval	Copper (%)	Gold (g/t)	Silver (g/t)	Zinc (%)	Copper Equivalent (%) <sup>(2)</sup>	Gold Equivalent (g/t) <sup>(2)</sup>	Zone	
DDH18-SD-427	81.20	81.80	<b>0.60</b>	1.12	1.96	16.1	0.01	<b>2.50</b>	<b>3.96</b>	No.5 Lens	
DDH18-SD-427	145.50	147.20	<b>1.70</b>	1.01	1.63	11.8	0.01	<b>2.14</b>	<b>3.38</b>		
DDH19-SD-428D	493.45	635.80	<b>142.35</b>	1.22	1.28	21.8	0.41	<b>2.40</b>	<b>3.79</b>	421 Zone	
<i>incl.</i>	562.80	595.00	<b>32.20</b>	2.47	2.37	47.4	1.61	<b>5.05</b>	<b>7.99</b>		
<i>incl.</i>	604.95	619.05	<b>14.10</b>	3.45	4.12	57.9	0.44	<b>6.74</b>	<b>10.67</b>		
DDH19-SD-429M	564.00	654.05	<b>90.05</b>	1.08	1.40	21.6	0.22	<b>2.24</b>	<b>3.55</b>		
<i>incl.</i>	586.50	593.00	<b>6.50</b>	4.61	7.05	60.2	1.68	<b>10.29</b>	<b>16.28</b>		
<i>incl.</i>	649.45	654.05	<b>4.60</b>	2.96	5.31	131.8	1.65	<b>8.16</b>	<b>12.91</b>		
DDH19-SD-430D	490.60	512.60	<b>22.00</b>	1.53	1.02	24.6	0.03	<b>2.40</b>	<b>3.79</b>		
DDH19-SD-430D	546.00	653.00	<b>107.00</b>	1.64	1.77	28.6	0.03	<b>3.02</b>	<b>4.79</b>		
<i>incl.</i>	572.20	630.30	<b>58.10</b>	2.49	2.61	44.3	0.04	<b>4.55</b>	<b>7.19</b>		
DDH19-SD-431M	<i>No Significant Value</i>										
DDH19-SD-432D	680.15	691.95	<b>11.80</b>	0.61	0.54	11.1	0.01	<b>1.05</b>	<b>1.66</b>		
DDH19-SD-433D	<i>Did not reach target</i>										
DDH19-SD-434D	<i>No Significant Value</i>										
DDH19-SD-435D	<i>No Significant Value</i>										
DDH19-SD-436D	502.60	548.15	<b>45.55</b>	1.44	1.18	27.0	0.04	<b>2.44</b>	<b>3.86</b>		
<i>incl.</i>	542.30	548.15	<b>5.85</b>	5.13	3.78	91.0	0.18	<b>8.39</b>	<b>13.27</b>		
DDH19-SD-436D	598.40	623.25	<b>24.85</b>	3.13	4.85	93.5	0.28	<b>7.12</b>	<b>11.27</b>		
<i>incl.</i>	609.20	618.20	<b>9.00</b>	6.04	9.13	183.7	0.60	<b>13.67</b>	<b>21.62</b>		
DDH19-SD-437M	537.60	624.00	<b>86.40</b>	1.65	1.56	28.8	0.28	<b>3.00</b>	<b>4.75</b>		
<i>incl.</i>	585.70	607.00	<b>21.30</b>	3.13	2.14	51.4	1.08	<b>5.39</b>	<b>8.52</b>		
DDH19-SD-438D	564.40	572.90	<b>8.50</b>	3.09	3.47	72.0	0.08	<b>5.95</b>	<b>9.41</b>		
DDH19-SD-438D	594.00	597.05	<b>3.05</b>	1.08	1.26	21.8	0.02	<b>2.07</b>	<b>3.28</b>		
DDH19-SD-439D	637.00	657.50	<b>20.50</b>	1.17	0.96	20.4	0.01	<b>1.96</b>	<b>3.11</b>		
DDH19-SD-439D	714.50	724.45	<b>9.95</b>	0.78	0.70	97.1	0.28	<b>2.19</b>	<b>3.47</b>		
DDH19-SD-440M	582.00	591.00	<b>9.00</b>	1.26	1.91	32.8	0.01	<b>2.76</b>	<b>4.37</b>		
DDH19-SD-440M	708.90	724.80	<b>15.90</b>	2.38	2.68	66.6	0.10	<b>4.71</b>	<b>7.45</b>		
DDH19-SD-441M	609.25	650.80	<b>41.55</b>	2.33	2.73	44.3	0.07	<b>4.47</b>	<b>7.08</b>		
<i>incl.</i>	609.25	620.30	<b>11.05</b>	3.35	3.88	60.7	0.14	<b>6.39</b>	<b>10.11</b>		
<i>incl.</i>	639.50	650.80	<b>11.30</b>	3.94	4.58	79.2	0.11	<b>7.58</b>	<b>11.98</b>		
DDH19-SD-442D	669.75	720.70	<b>50.95</b>	0.64	0.67	10.6	0.01	<b>1.16</b>	<b>1.83</b>		
<i>incl.</i>	669.75	693.20	<b>23.45</b>	0.92	0.92	14.4	0.01	<b>1.63</b>	<b>2.58</b>		
DDH19-SD-443D	678.30	695.30	<b>17.00</b>	1.17	1.05	19.2	0.01	<b>2.00</b>	<b>3.17</b>		
DDH19-SD-444D	735.00	738.20	<b>3.20</b>	1.65	1.30	29.4	0.01	<b>2.73</b>	<b>4.32</b>		
DDH19-SD-444D	762.00	772.95	<b>10.95</b>	3.19	3.59	58.1	0.07	<b>6.00</b>	<b>9.49</b>		
DDH19-SD-445D	<i>Did not reach target</i>										
DDH19-SD-446M	<i>No Significant Value</i>										
DDH19-SD-447D	<i>No Significant Value</i>										
DDH19-SD-448M	<i>No Significant Value</i>										

## Sun Metals – Stardust Project Drill Results Table

Hole	From	To	Interval	Copper (%)	Gold (g/t)	Silver (g/t)	Zinc (%)	Copper Equivalent (%) <sup>(2)</sup>	Gold Equivalent (g/t) <sup>(2)</sup>	Zone
DDH19-SD-449D	<i>No Significant Value</i>									421 Zone
DDH19-SD-450D	<i>Did not reach target</i>									
DDH19-SD-451D	807.00	810.70	<b>3.70</b>	1.64	1.36	25.8	0.01	<b>2.73</b>	<b>4.32</b>	
DDH19-SD-452D	<i>Pending</i>									
DDH19-SD-453M	540.70	567.00	<b>26.30</b>	1.45	1.48	22.2	0.01	<b>2.59</b>	<b>4.09</b>	
<i>incl.</i>	553.80	557.40	<b>3.60</b>	3.98	3.45	66.6	0.02	<b>6.75</b>	<b>10.68</b>	
DDH19-SD-453M	594.00	601.20	<b>7.20</b>	2.10	1.41	33.4	0.01	<b>3.29</b>	<b>5.20</b>	
DDH19-SD-454D	<i>Pending</i>									
DDH19-SD-455D	<i>Hole in progress – on hold</i>									

(1) True widths of the reported mineralized intervals are not yet known

(2) Assumptions used in USD for the copper equivalent calculation were metal prices of \$3.00/lb Copper, \$1,300/oz Gold, \$18/oz Silver, \$1.25/lb Zinc and recovery is assumed to be 100% as no metallurgical test data is available. The following equation was used to calculate copper equivalence:  $CuEq = \text{Copper (\%)} + (\text{Gold (g/t)} \times 0.6319) + (\text{Silver (g/t)} \times 0.0087) + (\text{Zinc (\%)} \times 0.4167)$ . The following equation was used to calculate gold equivalence:  $AuEq = (\text{Copper (\%)} \times 1.5824 + \text{Gold (g/t)} + (\text{Silver (g/t)} \times 0.01385) + (\text{Zinc (\%)} \times 0.6593)$ .

Ian Neill, P. Geo, Vice President, Exploration of the Company, is a Qualified Person within the meaning of NI 43-101. Mr. Neill has reviewed and verified that the technical information contained herein is accurate and approves of the written disclosure of the same.